

XIV. International Congress of the IFPE

The uses of psychiatric epidemiology in improving population mental health

5 - 8 June 2013 | The Westin Hotel Leipzig

Programme












FLoor PLaN

groUND FLoor



FIrST FLoor



Wir danken an dieser Stelle folgender FSamitgliedsfirma für Ihre Unterstützung:

- 1 main entrance
- 2 reception
- 3 Wardrobe
- 4 registration Desk
- 5 entrance Parking
- 6 Novartis Pharma gmbH*



- 7 Salon Schiller
- 8 Salon mendelssohn
- 9 Salon Wagner/ mediencheck
 - 10 Salon Bach
 - 11 Blauer Salon
- 12 Salon goethe
- 13 Salonkombination
- 14 Ballsaal b
- 15 Ballsaala

Content

3	3	-
9	~	-0
4	•	L
0	*	۴.
	-	-

Welcome	2
General Information	4
Evening Function	6
Programme Overview	8
Wednesday, 5 June 2013	10
Thursday, 6 June 2013	14
Friday, 7 June 2013	30
Saturday, 8 June 2013	44
Poster Plan	51
Poster Session I	52
Poster Session II	58

WeLCome



Dear colleagues.

Let me express my warmest welcome to you all to the 14th International Congress of the International Federation of Psychiatric epidemiology.

the main theme of this congress is "the uses of psychiatric epidemiology in improving population mental health". the congress theme explores how epidemiology work can positively impact mental health across various populations. Various societal changes such as increased mobility, new gender roles

or economic burden influence people's well-being. Psychosocial risk factors and biological markers as well as their interdependence are essential to understanding the aetiology of mental disorders. Psychiatric epidemiology is the key discipline for assessing and analysing all these developments.

on behalf of the International Federation of Psychiatric epidemiology I extend our sincere appreciation to the host of this congress, Professor Steffi Riedel-Heller, and her excellent organizing committee for their hard work in making it all happen. I am also indebted to the Scientific Programme Committee and the International Advisory Group for their invaluable contributions.

I am sure this congress will give numerous opportunities for us to change ideas and to learn from each other. Further, this beautiful city provides a beautiful frame for meeting colleagues. enjoy your stay in Leipzig!

Johannes Wancata, President of IFPe



Dear friends and colleagues,

Welcome to the 14th International Congress of the International Federation of Psychiatric epidemiologists. And, welcome to Leipzig!

Leipzig has had a long tradition of hosting international visitors as a central location of historic trade routes. Similarly, a tradition of learning dates back in Leipzig over 600 years when the Universität Leipzig was founded. We hope that by the end of the congress you

will agree that the city of Leipzig provides an exciting environment in which to exchange ideas.

What keeps us healthy? What makes us sick? What does psychiatric epidemiology contribute towards improving the mental health of the population? these questions will be at the heart of the 14th International Congress of the IFPe

We hope that you enjoy the congress and the city of Leipzig.

With warm wishes.

Steffi Riedel-Heller, Local Host and Chair, Local organizing Committee

GeneRAL InFoRmAtion

ConFeRenCe CooRDInAtoRS

Institute for Social medicine, occupational Health and Public Health Institut für Sozialmedizin, Arbeitsmedizin und Public Health Universität Leipzig, medizinische Fakultät Professor Steffi Riedel-Heller Philipp-Rosenthal-Straße 55, 04103 Leipzig

LoCAL oRGAnizing Committee

margrit Löbner markus Löffler tobias Luck melanie Luppa Diana Smikalla Kai von Klitzing Lisa Wittenburg

ConFeRenCe oFFICe

event lab. GmbH

Dufourstrasse 15 on-site

04107 Leipzig Phone: +49 (0)177 2807770

ConFeRenCe DAteS | oPenInG HoURS ReGIStRAtion DeSK

Wednesday, 5 June 2013 8:30 am – 6:00 pm thursday, 6 June 2013 7:30 am – 6:00 pm Friday, 7 June 2013 8:00 am – 6:00 pm Saturday, 8 June 2013 8:00 am – 2:00 pm

LAnGUAGe

the official language of the congress is english. there will be no translations.

PARTICIPATION | nAme tAGS

official conference name tags will be required for admission to all conference functions, scientific sessions and exhibition areas. Participants who lose their name tags will have to pay a fee of 25.00 eUR to obtain a replacement tag.

CeRtIFICAtion

the medical Association of Saxony offers with 24 continuing education points for conference attendance. Certificates will be issued at the registration desk.

GUIDel IneS

InFoRmAtion FoR SYmPoSIUm SPeAKeRS

All presentations will be collected centrally in the speakers' preview room, Salon Wagner, at the Westin Hotel. this room will be open at all times during the conference

At the congress, please bring an electronic version of your presentation to the speakers' preview room as early as possible and no later than 2 hours before your session starts. Here, you will be able to confirm that the file is working and can make final changes, if needed. Afterwards, your presentations will be delivered to the lecture room by our congress staff.

Please notice that you will have 10 minutes for your talk and 5 minutes for additional discussion.

InFoRmAtion FoR PLenARY SPeAKeRS

Presentations should be prepared using PowerPoint. All lecture rooms will have laptops with Windows 7 and office 2010, USB- and DVD-slots. Please make sure that your presentation is compatible with the Windows-System. Please notice that you will have 18 minutes for your talk.

InFoRmAtion FoR PoSteR PReSenteRS

the poster exhibition will take place in the Salonkombination (1st Floor) of the Westin Hotel.

Posters must be designed in vertical format (DIn AO, height: 118 cm; width: 84 cm). materials for putting up the posters will be provided on site. Please mount your poster by Wednesday evening (5 June 2013), 6:00 pm. All posters shall be removed before Saturday, 8 June at 1:00 pm. meeting organizers cannot take responsibility for material still displayed beyond that time.

Posters will be on display for the entire conference. During the poster session, the presenting author should be prepared to give a short summary (approx. 5 minutes) and to answer questions as time allows.



eVenInG FUnCtIon



Wel Come ReCePtlon on 5 JUne 2013

In addition to an exciting scientific program, you are cordially invited to attend the official opening reception. this party is included in the registration fee and starts at 6:00 pm in the Westin Hotel Leipzig at empore & Blue Bar.

SIGHtSeeInG toURS on 6 JUne 2013

Choose from two sightseeing tours of Leipzig. the first features important sites in Leipzig's city center focusing on modern history highlighting Leipzig's special place in the reunification of Germany.

the second option focuses on Leipzig's musical significance as home to composers such as Johann Sebastian Bach, Richard Wagner and Felix mendelssohn Bartholdy. tours will begin at the Westin Hotel and will end in the city centre. Both tours are on 6 June, 2013 between 6:00 – 8:00 pm. make plans to have dinner with friends and colleagues in one of Leipzig's many restaurants or cafes following a city tour.

• meeting Point: Registration Desk at the Westin Hotel

ConGReSS DinneR on 7 JUne 2013


experience the unforgettable tropical world of Gondwanaland. Here, more than 17,000 different tropical plants and almost 300 exotic animals converge in a virgin rainforest environment recreating the lost continent of Gondwana. Follow an exciting trail through the rainforest where you will cross paths with animals from three continents. Birds will fly through the air and monkeys climb in trees...

Be our guest amidst this unique scenery. Don't miss the chance to mingle with colleagues and friends on the evening of 7 June 2013.

• Adress: zoo Leipzig Pfaffendorfer Str. 29 04105 Leipzig

(b) entrance time: 6:30 pm

noteS



PRoGRAmme oVeRVIeW

time	Wednesday	
9:00 am - 12:00 pm	SCAn Short Course	
1:00 - 2:00 pm	opening Ceremony	xhibition
2:00 - 3:30 pm	Plenary Session I: Perspectives across the lifespan	Poster exl
3:30 - 4:00 pm	Coffee Break	
4:00 - 5:40 pm	Plenary Session II: the persistence of stigma	
6:00 pm	Get together	

time	thursday		
8:30 - 10:00 am	Session la - VI		
10:00 am	Coffee Break		
10:30 am - 12:00 pm	Plenary Session Illa: Challenges of childhood and adolescence	Plenary Session IIIb: Challenges of old age	
12:00 pm	Lunch Break		ے
1:00 - 2:00 pm	Poster Session I		
2:00- 3:30 pm	Symposium VII - XII	Global mental health assess- ment training and treatment tools (GmHAt): Workshop de- monstration.	Poster exhibition
4:00 pm	Coffee Break		
4:00 - 5:30 pm	Symposium XIII - XVIII		
5:30 pm	IFPe General Asse		
6:00 - 8:00 pm	Sightseeing tours		

time	Friday	
8:30 - 10:00 am	Symposium XIX - XXIV	
10.00 am	Coffee Break	
10:30 am - 12:00 pm	Plenary IV: new and traditio- nal approaches to psychiatric epidemiology	
12:00 pm	Lunch Break	
1:00 - 2:00 pm	Poster Session II	ibition
2:00 - 3:30 pm	Symposium XXV - XXX	Poster exhi
3:30 pm	Coffee Break	
4:00 - 5:30 pm	Symposium XXXI - XXXVI	
5:30 pm	IFPe Committee meeting	
6:30 pm	Congress Dinner	

time	Saturday	
8:30 - 10:00 am	Symposium XXXVII - XLII	
10:00 am	Coffee Break	
10:30 - 11:45 am	Plenary Session V: Applications of psychiatric epide- miology: Policy, prevention and the workplace	ition
11:45 am	Refreshm. Break	oster exhibitio
12:00 - 1:30 pm	Plenary Session VI: Hot topic: Autism spectrum disor- ders meeting summary, poster prizes and farewell	Post
1:30 pm	Lunch Snack	

WeDneSDAY, 5 JUne 2013



time	Ballsaal	Blauer Salon	Salonkombination
9:00 am - 12:00 pm		SCAn Short Course	Poster exhibition
1:00 - 2:00 pm	opening Ceremony		
2:00 - 3:30 pm	Plenary Session I: Perspectives across the lifespan		
3:30 - 4:00 pm	Coffee Break		
4:00 - 5:40 pm	Plenary Session II: the persistence of stigma		
6:00 pm	Get together in the W	estin Hotel (empore &	Blue Bar)

SCAN Short Course

- (9:00 am − 12:00 pm) Blauer Salon
 - > terry Brugha (UK)
 - > Andrew Cheng (taiwan)
 - > Gabriel de erausquin (USA)
 - > Fokko nienhuis (netherlands)
 - > matthias Schüztzwohl (Germany)

Opening Ceremony

[▶] (1:00 −2:00 pm)

Ballsaal

Chair: Steffi Riedel-Heller (Germany), Johannes Wancata (Austria)

- > Prof. Dr. Johannes Wancata, IFPe President
- > Prof. Dr. med. Beate A. Schücking, Rector, Universität Leipzig
- > Prof. Dr. Joachim thiery, Dean, Faculty of medicine, Universität Leipzig
- > Prof. Dr. thomas Fabian, mayor of Youth, Social Services, Health and Schools, City of Leipzig
- > Prof. Dr. med. Steffi G. Riedel-Heller, mPH, Director, Institute of Social medicine, occupational Health and Public Health and local host

Plenary Session I: Perspectives across the lifespan

(2:00 - 3:30 pm)

Ballsaal

Chair: Jim Anthony (USA)

- > Current trends in childhood mental health Jane Costello (USA)
- > Gene-environment interaction in depressive disorders Hans Grabe (Germany)
- > epidemiology in a changing global context: Implications for mental health research Brian Cooper (UK)









(a) Coffee Break

Plenary Session II: the persistence of stigma

(4:00 - 5:40 pm)Ballsaal Chair: Heather Stuart (Canada)

> evolution of public attitudes about mental disorders over the last two decades

Matthias Angermeyer (Austria)

- > Introducing stigma power Bruce Link (USA)
- > mental-illness stigma: Implicit and explicit measures Jo Phelan (USA)
- > Causal attributions and social acceptance of persons with mental illness: A comparative analysis of schizophrenia, depression and alcoholism Georg Schomerus (Germany)









Get Together (6:00 pm) • Westin Hotel (empore & Blue Bar)





tHURSDAY, 6 JUne 2013



time	Ballsaal a	Ballsaal b	Salon Goethe	Salon Bach		Salon Schiller	Salon mendelssohn	Blauer Salon	Salonkombination
8:30 - 10:00 am	Symposium la: the global burden of mental disorders	Symposium lb: the interface between clinical research and epidemiological research	Symposium II: Health services re- search: Are mentally ill well served?	Symposium III: mental health in Germany: Findings from the German health interview and examination survey for adults (DeGS) and the mental health study module (DeGS1-mH)		Symposium IV: time-trends, course and long term outcomes of mental disorders in children and adole- scents	Symposium V: the epidemiology of psychiatric - medical comorbidity: mortality, morbidity and clinical implications for health care	Symposium VI: the size and burden of mental disorders in the elderly: A european perspective	Poster exhibition
10:00 am	Coffee Break								
10:30 am	Plenary Session IIIa:	Plenary Session IIIb:							
- 12:00 pm	Challenges of child- hood and adolescence	Challenges of old age							
12:00 pm	Lunch Break								
1:00 - 2:00 pm									Poster Session I
2:00 - 3:30 pm	Symposium VII: Cognition in old age	Workshop demonst- ration: Global mental health assessment training and treatment tools (GmHAt)	Symposium VIII: traumatic experiences and PtSD in the po- pulation: mental and physical outcomes	Symposium IX: Work and mental health I		Symposium X: Youth mental health	Symposium XI: Family aggregation and depression	Symposium XII: methods I	Poster exhibition
3:30 pm	Coffee Break								
4:00 - 5:30 pm	Symposium XIII: Genes and environ- ment	Symposium XLIII: Putting evidence into practice: Feasibility and impact on public health strategies of a pragmatic cluster randomized controlled trial testing the ef- fectiveness of a multi- element psychosocial intervention for early psychosis conducted in a 10 million inhabit- ants catchment area		Symposium XV: Pharmaco- epidemiology		Symposium XVI: Gambling, problematic internet use and illicit drugs: Challenges of urban living	Symposium XVII: effectiveness of case management for severely mentally ill	Symposium XVIII: Stigma of mental disorders	
5:30 pm						IFPe General Assembly meeting			
					1		1	1	1
6:00 - 8:00 pm	Sightseeing tours								

tHURSDAY, 6 JUne 2013



Symposium Ia: the global burden of mental disorders

(8:30 – 10:00 am) • Ballsaal a Chair: George Patton (Australia) Co-Chair: Rob Stewart (UK)

> the global burden of mental disorders in 2010 (ID 401)

Harvey Whiteford (Australia)

> the estimated burden of disease attributed to illicit drug use in GBD2010 (ID 400)

Harvey Whiteford (Australia)

> the global burden of conduct disorder: A case study in the Global Burden of Disease 2010 Study (ID 399)

Holly Erskine (Australia)

> What's missing in the global epidemiology of mental disorders? (ID 402)

Amanda Baxter (Australia)

> Decision support for mental health policy: Contribution of the "mental Health in General Population (mHGP)" survey at the international level (ID 347)

Francis Chabaud (France)

Symposium Ib: the interface between clinical research and epidemiological research

> Prevalence of schizophrenia in a geographical area in malaga (Spain) (ID 137)

Berta Moreno-Küstner (Spain)

> the child and adolescent mental health case register in Santiago de Compostela (Spain): A review of clinical activity during the last 10 years (ID 383)

Dolores Dominguez (Spain)

- > the relationship between morbidity, disability and needs assessment in one epidemiological field study (ID 384)

 Raimundo Mateos (Spain)
- > Prevalence and correlates of psychotic symptoms in a Spanish elderly community (ID 442)

 Jorge Cervilla (UK)

Symposium II: Health services research: Are mentally ill well served?

(8:30 – 10:00 am) Salon Goethe Chair: Hans-Joachim Salize (Germany) Co-Chair: Giovanni de Girolamo (Italy)

> An analysis of changes in psychiatric emergency presentations - the impact of a new primary care mental health policy in South Australia (ID 128)

Niranian Bidaraaddi (Australia)

> the shift from institution to community: Are the mentally ill being well served? (ID 293) Roger Bland (Canada)

> effectiveness of an intervention programme in patients at high risk of compulsory admission to psychiatric hospitals 12 months after inclusion into the study (ID 200) Barbara Lay (Switzerland)

> Associated factors of involuntary admission through a psychiatric emergency service in taiwan: Who and what should be included in the process of involuntary admission? (ID 310)
Jen-Pang Wang (Taiwan)

> effects of different housing facility types for the severely mentally ill: A systematic review (ID 395) Dirk Richter (Switzerland)

> the Perdove Study: A prospective cohort study of 23 psychiatric residential facilities in Italy (ID 105)

Giovanni de Girolamo (Italy)

Symposium III: mental health in Germany: Findings from the German health interview and examination survey for adults (DeGS) and the mental health study module (DeGS1-mH)

- > Prevalence and correlates of depressive symptoms and diagnosed depression among adults in Germany (ID 153)
 Markus Busch (Germany)
- How to establish evidence for possible changes between 1998 and 2012 in the morbidity spectrum of the longitudinal DeGS1-mH cohort (ID 423) Frank Jacobi (Germany)

6 JUne

- > Determinants of help-seeking and health care utilization in patients with mental disorders (ID 424)

 Simon Mack (Germany)
- > Psychotic experiences in the community: Prevalence and relation to DSm-IV diagnoses (ID 425)

 Jürgen Zielasek (Germany)
- > Cognitive epidemiology and mental health in the mental Health Supplement of the "German Health Interview and examination Survey for Adults" (DeGS1-mH) (ID 426)
 Michael Wagner (Germany)
- > Prevalence and comorbidity of burn-out syndrome in Germany (ID 112)

 Ulrike Maske (Germany)

Symposium IV: time-trends, course and long term outcomes of mental disorders in children and adolescents

- ⊕ (8:30 10:00 am) Salon Schiller
 Chair: Hans Christoph Steinhausen (Denmark)
 Co-Chair: Lilly Shanahan (USA)
- > time-trends in incidence rates for child and adolescent psychiatric disorders in Denmark over sixteen years (ID 95) Christina Mohr Jensen (Denmark)
- > nationwide trends over fifteen years in the prescription rates of psychotropic medication for children and adolescents in Denmark (ID 99) Hans Christoph Steinhausen (Denmark)
- > Course and long-term outcome of early onset schizophrenia compared to adult onset schizophrenia in a nationwide Danish sample (ID 98) Ditte Lammers Vernal (Denmark)
- > the association between attention-deficit/hyperactivity disorder, medication, co-morbid mental disorders and suicide attempts in a nationwide Danish sample (ID 97)

 Hans Christoph Steinhausen (Denmark)
- Seneralised anxiety symptoms but not panic symptoms at age 15 are associated with depression at 18 in the ALSPAC (Avon Longitudinal Study of Parents and Children) cohort study (ID 185)
 Simon Davies (Canada)

Symposium V: the epidemiology of psychiatric - medical comorbidity: mortality, morbidity and clinical implications for health care

(8:30 – 10:00 am) Salon mendelssohn Chair: Bernhard Baune (Australia) Co-Chair: Brenda Penninx (netherlands)

- > Psychiatric-medical comorbidities: Is a risk factor model sufficient to describe complex interactions? (ID 35)

 Bernhard Baune (Australia)
- > major depression and incident hospitalization with ischemic heart disease, cardiac procedures and mortality in the general population: A retrospective Danish population-based cohort study (ID 80)

 Christiane Gasse (Denmark)
- > Cardiovascular disease, depression and the perception of emotional verbal stimuli: the BiDirect-Study (ID 61)

 Klaus Berger (Germany)
- > Psychiatric comorbidity in patients undergoing herniated disc surgery (ID 36)
 Mararit Löbner (Germany)
- > Somatic comorbidity and mental health care (ID 102)

 Thomas Becker (Germany)
- > the epidemiology of interventions in the comorbidity between cardiac disease and depression (ID 114) Volker Arolt (Germany)

Symposium VI: the size and burden of mental disorders in the elderly: A european perspective

- (8:30 10:00 am) Blauer Salon Chair: Holger Schulz (Germany) Co-Chair: tobias Luck (Germany)
 - > mentDis_ICF65+ study approach and field work procedures on the prevalence of mental disorders in the elderly eU population (ID 427)

 Jana Volkert (Germany)
 - > Prevalence of mental disorders in the elderly: Results from the mentDis_ ICF65+ study (ID 428) Sylke Andreas (Germany)
 - > the prognosis of specific phobia in the elderly population: A 5-year follow-up study (ID 364) Robert Sigström (Sweden)

- > the relationship between social integration and depression in non-demented primary care patients aged 75 years and older (ID 211)

 Michaela Schwarzbach (Germany)
- > Low social support as a risk factor for a major depressive episode among Canadian community dwelling seniors (ID 378)

 Trevor Cook (Canada)
- > Are there consequences for mental health and well-being when relocating from the community to a retirement village? (ID 184)

 Dimity Crisp (Australia)

☼ Coffee Break

Plenary III a: Challenges of childhood and adolescence

(10:30am – 12:00 pm) Ballsaal a Chair: Jane Costello (USA)

- > A peripatetic journey through several centuries of models in epidemiology James Anthony (USA)
- the natural history of common mental disorders from adolescence to adulthood George Patton (UK)
- > A gene by environment genomewide association study of alcohol problems (ID 381) William Copeland (USA)
- Do childhood somatic complaints predict later psychopathology? Lilly Shanahan (USA)











(10:30am – 12:00 pm) (Ballsaal b Chair: John Breitner (Canada)

- > the changing profile of 'old age' and its relevance for psychiatric epidemiology

 Ingmar Skoog (Sweden)
- epidemiology of alcohol use in old age Siegfried Weyerer (Germany)
- > Late-life depression: occurrence, course, risk factors and consequences Steffi Riedel-Heller (Germany)
- > Costs of dementia in old age

 Hans-Helmut König (Germany)









(1) Lunch Break

Poster Session I

(1:00 - 2:00 pm) Salonkombination

Workshop demonstration: Global mental health assessment training and treatment tools (GmHAt): John Copeland (UK)

Symposium VII: Cognition in old age

(2:00 – 3:30 pm) • Ballsaal a Chair: Ingmar Skoog (Sweden) Co-Chair: Horst Bickel (Germany)

- > Interactive effects of the apolipoprotein e (APoe) £4 allele and nongenetic risk factors on the incidence of dementia (ID 23) Horst Bickel (Germany)
- > Stability of mCI in a cohort at risk for neurodegeneration: Results of the first follow-up of the tRenD-study (tübinger evaluation of Risk factors for early detection of neuroDegeneration) (ID 277)

 Florian G. Metzger (Germany)

> the prognosis of patients with mild cognitive impairment in general practice (ID 188)

Hanna Kaduszkiewicz (Germany)

> Apolipoprotein e epsilon 4 genotype and a physically active lifestyle in latelife: Analysis of gene-environment interactions for the risk of demen- tia and Alzheimer's disease dementia (ID 22) Tobias Luck (Germany)

- > Depressive symptoms and longitudinal changes of cognitive performance in elderlies at high risk for neurodegeneration (tRenD-study) (ID 362)

 Gerhard W. Eschweiler (Germany)
- > Depression and incident dementia: An 8-year population-based prospective study (ID 17)

 Melanie Luppa (Germany)

Symposium VIII: traumatic experiences and PtSD in the population: mental and physical outcomes

(2:00 − 3:30 pm) Salon Goethe Chair: Heide Glaesmer (Germany) Co-Chair: Philipp Kuwert (Germany)

> Psychiatric and medical comorbidity of full and partial posttraumatic stress disorder among older adults in the United States: Results from Wave 2 of the national epidemiologic Survey on Alcohol and Related Conditions (ID 232) Robert Pietrzak (USA)

> Late-life health consequences of exposure to trauma in a general elderly population: the mediating role of re-experiencing posttraumatic symptoms (ID 30)

Isabelle Chaudieu (France)

> the association of traumatic experiences and posttraumatic stress disorder with physical morbidity in old age: A German population based study (ID 27)

Heide Glaesmer (Germany)

- > mental health outcomes of exposure to wartime rape compared with non-sexual war trauma: A matched pairs study (ID 170) Philipp Kuwert (Germany)
- > Sri Lankan national survey on mental health: Prevalence of mental illnesses including PtSD among adults (ID 104)

 Chesmal Siriwardhana (UK)

Risk factors for service-related mental disorders among Canadian forces personnel deployed in support of the mission in Afghanistan during 2001 – 2008 (ID 180)
 David Boulos (Canada)

Symposium IX: Workand mental health I

(2:00 – 3:30 pm) Salon Bach Chair: Uwe Rose (Germany) Co-Chair: Stephen Stansfeld (UK)

- > mental health at work: Study design and first results from S-mGA (ID 67) Uwe Rose (Germany)
- > mental health in the German working population: Burnout, depression and positive indicators of mental health (ID 63)

 Gabriele Freude (Germany)
- > Physical and mental functioning and workability in German employees (ID 89)

 Peter Martus (Germany)
- > Atypical positions on the labor market and depressive symptoms: A register based follow-up study (ID 77)

 Hermann Burr (Germany)
- > Work characteristics and social support as predictors of wellbeing (ID 85) Stephen Stansfeld (UK)
- > Prevalence and correlates of psychological distress in a large and diverse public sector workforce (ID 130)

 Lisa Jarman (Australia)

Symposium X: Youth mental health

(2:00 – 3:30 pm) Salon Schiller Chair: Jim Anthony (USA)

Co-Chair: Peter Butterworth (Australia)

> mental disorders, psychological distress and high-school drop-out in Australia (ID 131)

Peter Butterworth (Australia)

- > trajectories of emotional difficulties in primary and secondary school pupils in england: Patterns and predictors (ID 415)

 Prayeetha Patalay (UK)
- > national survey on emotional and behavioral problems in children 6-18 years old in Kosovo (ID 49)

 Mimoza Shahini (Albania)

- > mental health of children and adolescents in Germany: Results from the BeLLA longitudinal study (ID 113) Fionna Klasen (Germany)
- > Prevalence of at-risk criteria of psychosis in young adults of the general population (ID 43) Frauke Schultze-Lutter (Switzerland)
- > Dose reduction of anti-psychotics in first episode schizophrenia: Is there an association with long term recovery? (ID 459) Fokko Nienhuis (Netherlands)

Symposium XI: Family aggregation and depression

(1) (2:00 – 3:30 pm) Salon mendelssohn Chair: Hans Christoph Steinhausen (Denmark) Co-Chair: Christine Kühner (Germany)

> Family aggregation of mental disorders in the Danish nationwide three Generations Study (ID 25) Hans-Christoph Steinhausen (Denmark)

> Familial aggregation and cross-aggregation patterns of depressive syndromes in the community (ID 272) Caroline Vandeleur (Switzerland)

- > the intergenerational transmission of parenting quality and risk of offspring adolescent depression: A prospective community study (ID 309) Liam Mahedy (UK)
- > Abuse in early life and depression and anxiety in adulthood (ID 405) Jutta Lindert (Germany)
- > Integrating and extending cohort studies: Lessons from the extending treatments, education and networks in Depression (xtenD) project (ID 330)

Joanne Allen (Australia)

> the continuity of psychotic experiences and longitudinal associations with depressive symptoms in a community sample (ID 264) Sarah Sullivan (UK)

Symposium XII: methods I

(2:00 - 3:30 pm)Blauer Salon Chair: Herbert matschinger (Germany) Co-Chair: William narrow (USA)

- > Validation of a case definition for depression in administrative data using a chart review reference standard (ID 280) Cvnthia A. Beck (Canada)
- > Screening depression by means of the PHO-9. Differential item functioning and item ordering (ID 288) Herbert Matschinger (Germany)
- > tree-structured survival analysis with time dependent covariates (ID 138) Birgitt Wiese (Germany)
- > the WHo disability assessment schedule in the DSm-5 field trials: Reliability and associations with psychiatric diagnosis in large academic settings (ID 391) William Narrow (USA)
- > mixed mode data collection in a prospective cohort study: Lessons learned for recruitment & retention (ID 326) Sandy Berzins (Canada)
- > Construction and validation of an indicator scale of perceived stress for psychosocial impairments in patients with inflammatory bowel diseases (IBD) (ID 208) Juliane Hardt (Germany)

© Coffee Break

Symposium XIII: Genes and environment

(4:00 - 5:30 pm)Ballsaal a Chair: Hans Grabe (Germany) Co-Chair: William Copeland (USA)

- > Positive correlation between serum brain-derived neurotrophic factor and depression in community dwelling older adults (ID 398) Kazushige Ihara (Japan)
- > Linking phenotypes to CnVs in neurodevelopmental disorders (ID 193) Alison Merikangas (Ireland)
- > Current models for complex disease prediction including genetics: the state of the art (ID 370) Bent Müller (Germany)

> evidence for shared molecular etiology of affective and physical disorders in the Detroit neighborhood Health Study (ID 178) Monica Uddin (USA)

Symposium XLIII: Putting evidence into practice: Feasibility and impact on public health strategies of a pragmatic cluster randomized controlled trial testing the effectiveness of a multi-element psychosocial intervention for early psychosis conducted in a 10 million inhabitants catchment area

(4:00 −5:30 pm) •Ballsaal b Chair: mirella Ruggeri (Italy)

Co-Chair: Andreas Bechdolf (Germany)

- > the feasibility and the effectiveness of a multielement psychosocial intervention for early psychosis conducted in the real world routine (ID 464)

 Mirella Ruggeri (Italy)
- > Building capacity to provide innovative interventions for early psychosis in mental health professionals (ID 465)

 Katia De Santi & Sara Poli (Italy)
- > Predictors of treatment outcome in patients and their relatives of a multielement psychosocial intervention for early psychosis (ID 466) Antonio Lasalvia (Italy)
- > the subjective appraisal of symptoms and disability in early psychosis (ID 467) Silvia Zoppei (Italy)
- > Biological and environmental factors: the modulating effect of cannabis use and ethnicity in treatment response in early psychosis (ID 468)

 Sarah Tosato (Italy)
- > the impact of life events on the outcome of care in early psychosis (ID 469) Giulia Fioravanti & Katia De Santi (Italy)

Symposium XIV: Suicide: Risk and protective factors

Chair: Anthony mann (UK)

Co-Chair: Siegfried Weyerer (Germany)

- Depression subtype and suicidal ideation: First results from the ongoing BiDirect study (ID 150) Michael Unrath (Germany)
- > extreme obesity is associated with suicidal behavior and suicide attempts in adults: Results of a population-based representative sample (ID 6)

 Birgit Wagner (Germany)

> the impact of the 2008 global economic crisis on suicide: A time trend study (ID 234)

Shu-Sen Chang (Hong Kong)

- > Does naturally occurring lithium in drinking water has a role in suicide prevention? (ID 438)

 Anium Memon (UK)
- > Smoking cessation treatment and the risk of depression, suicide and selfharm in the Clinical Practice Research Datalink: A cohort study (ID 64) Kyla Thomas (UK)

Symposium XV: Pharmaco-epidemiology

(4:00 – 5:30 pm) Salon Bach Chair: Hanna Kaduszkiewicz (Germany) Co-Chair: Peter Schönknecht (Germany)

> Associations between risk of mortality and atypical antipsychotic use in vascular dementia (ID 72)

Janet Sultana (UK)

> Angiotension receptor blockers reduce the risk of Alzheimer's disease: A population-based cohort study (ID 194)
Wei Che Chiu (Taiwan)

> Potentially inappropriate antidepressant pharmacotherapy in the elderly (ID 48)

Denise Kaestner (Germany)

Symposium XVI: Gambling, problematic Internet use and illicit drugs: Challenges of urban living

> Illegal substance use in Brazil: the second Brazilian national Alcohol and Drug Survey (BnADS) (ID 57)

Clarice Madruga (Brasil)

- > Characteristics of Schizophrenia in users and non users of cannabis (ID 341)

 Edison Manrique-Garcia (Sweden)
- > Association between cannabis and psychotic experiences at age 18: ALSPAC (ID 416) Suzi Gage (UK)

Symposium XVII: effectiveness of case management for severely mentally ill

(4:00 - 5:30 pm)

Salon mendelssohn

Chair: Hans Joachim Salize (Germany) Co-Chair: thomas Becker (Germany)

> effectively working on rehabilitation goals: 24-month outcome of a randomized controlled trial of the Boston Psychiatric Rehabilitation approach (ID 343)

Wilma Swildens (Netherlands)

> Reducing involuntary hospital admission of severe mentally ill by preventive monitoring (ID 419)

Hans Joachim Salize (Germany)

- > A national panel of people with severe mental illnesses in the netherlands: First findings (ID 421) Harry Michon (Netherlands)
- > Job coaching for the severely mentally ill (ID 418) Wolfram Kawohl (Switzerland)
- > effectiveness of insurance company-based case management for patients with depression (ID 420)

 Christian Jacke (Germany)
- > Sustainable vocational inclusion by supported employment: Five-year follow-up of a randomized controlled trial (ID 109)

 Holger Hoffmann (Switzerland)

Symposium XVIII: Stigma of mental disorders

Chair: Bruce Link (UK)

Co-Chair: Georg Schomerus (Germany)

- > Stigma among medical students towards overweight and obesity (ID 45) Birte Pantenburg (Germany)
- > effects of the Freiburg Alliance Against Depression on stigma, knowledge and attitudes towards mental health services (ID 146)

 Lars P. Hölzel (Germany)

- Assessing internalized stigma and stigma resistance in individuals with mental illness in taiwan: An investigation using the internalized stigma of mental illness scale (ID 76) Yin-Ju Lien (Taiwan)
- > Social class changes and psychiatric disorders (ID 356)
 Sanna Tiikkaja (Sweden)
- > estimated prevalence of mental disorders and the desire for social distance: Results from population surveys in two large German cities (ID 255)

 Olaf von dem Knesebeck (Germany)

IFPE General Assembly Meeting

(5:30 pm) Salon Schiller

Sightseeing Tours

(6:00 – 8:00 pm)

FRIDAY, 7 JUne 2013



time	Ballsaal	Salon Goethe	Salon Bach	Salon Schiller	Salon mendelssohn	Blauer Salon	Salon- kombination
8:30 am - 10:00 am	Symposium XIX: Pathways to depressive disorders: Insights from epidemiological studies	Symposium XX: Alcohol, drugs and mental health	Symposium XXI: Work and mental health II	Symposium XXII: Youth topics featuring suicide and self-injury	Symposium XXIII: Individual experiences and social context: Advancing the stigma perspective on mental health	Symposium XXIV: mental health and old age	Poster exhibition
10:00 am		Coffee Break					
10:30 - 12:00 pm	Plenary Session IV: new and traditional approaches to psychiatric epidemiology						
12:00 pm		Lunch Break					
1:00 - 2:00 pm							Poster Session II
2:00 - 3:30 pm	Symposium XXV: Prospective studies of the natural history of adolescent mental disorders	Symposium XXVI: mood disorders and cardio-vascular disease (CVD): From associations to mechanisms	Symposium XXVII: Cultural aspects and mental disorders	Symposium XXVIII: Psychiatric health across generations and across the lifespan: Implications for prevention	Symposium XXIX: Psychosis and schizophrenia	Symposium XXX: old age population based studies	Poster exhibition
3:30 pm		Coffee Break					
4:00 - 5:30 pm	Symposium XXXI: Childhood mental health	Symposium XXXII: mental and physical health with a special focus on depression and coronary heart disease	Symposium XXXIII: Work III and mental health and	Symposium XXXIV: Challenges and opportunities in gene-environment studies in autism spectrum disorders	Symposium XXXV: obesity and eating disorders	Symposium XXXVI: methods II	
5:30 pm		1		IFPe Committee meeting		1	
6:30 pm	Congress Dinner Gondwanaland				1		

FRIDAY, 7 JUne 2013

Symposium XIX: Pathways to depressive disorders: Insights from epidemiological studies

(8:30 – 10:00 am) • Ballsaal Chair: Hans Grabe (Germany)
Co-Chair: martin Preisig (Germany)

- > the vascular depression hypothesis revisited (ID 265)

 Henning Tiemeier (Netherlands)
- > Predictors of the development and the remission of major depression and anxiety disorders in an epidemiologic catchment area in montreal, Canada: A longitudinal study (ID 66)

 Jean Caron (Canada)
- > estimating the long term effects on depression prevalence of introducing mindfulness based cognitive therapy to target depressive relapse: A simulation modeling approach (ID 132)

 Graham Meadows (Australia)
- An agent-based approach to understanding major depression epidemiology (ID 321) Scott Patten (Canada)
- > Longitudinal associations between physical activity and depressive symptoms in women followed 31 years (ID 441)

 Pia Gudmundsson (Sweden)

Symposium XX: Alcohol, drugs and mental health

- > the effect of beer prohibition on alcohol disorders: Before and after the introduction of beer in Iceland in 1989 (ID 120)

 Eirikur Lindal (Iceland)
- > mental disorder and substance abuse: A temporal-order model (ID 2)

 Celia Lo (USA)
- > excess mortality of alcohol-dependent individuals after 14 years and mortality predictors based on treatment participation and severity of alcohol dependence (ID 231) Ulrich John (Germany)
- > Illicit drug outcomes at 3 years in a large national sample in the USA (ID 315)
 Wilson Compton (USA)

> Young and not so drunk: Adolescent alcohol consumption rates are not what we think they are (ID 94)

Monika Wadolowski (USA)

> Costs of alcohol consumption in Germany

Alexander Konnopka (Germany)

Symposium XXI: Work and mental health II

- > Impact of anxiety disorders on sickness absence (ID 86) Stephen Stansfeld (UK)
- Prevalence of workplace phobia and related participation problems in general practice patients (ID 155)
 Michael Linden (Germany)
- Associations of work and non-work stressors on positive well-being in the 2007 Adult Psychiatric morbidity Survey (ID 78) Charlotte Clark (UK)
- Person-environment-fit as a predictor of occupational mental health: Assessing organizational pathways to employee wellbeing using the Areas of Worklife Survey (AWS) (ID 397)

 Beate Schulze (Germany)
- > Influence of psychosocial work load on the development of mental disorders (ID 179)

 Andreas Seidler (Germany)
- > Assessment of the impact of employment and working conditions on the population's mental health in Spain (ID 353)

 Marco Garrido-Cumbrera (Spain)

Symposium XXII: Youth topics featuring suicide and self-injury

- > non-suicidal self-injury (nSSI) and youth culture: Findings from Germany (ID 340)

 Paul Plener (Germany)
- > Contagion and adolescent suicide risk: the influence of schools, friends and youth culture (ID 189)

 Robert Young (UK)

7 JUne

- > the association between exposure to suicide and suicidality outcomes in a nationally-representative prospective cohort of Canadian youth (ID 31) Ian Colman (Canada)
- > School performance and the risk of suicide attempts in young adults: Longitudinal population-based study (ID 70) Kyriaki Kosidou (Sweden)
- > Differences in mental health according to socio-economic level among 18 to 24 year-old French people (ID 151)

 Emmanuelle Jeray (France)
- > the prevalence of suicidal thoughts and -attempts in a representative sample of German adolescents (ID 100)

 Carolin Donath (Germany)

Symposium XXIII: Individual experiences and social context: Advancing the stigma perspective on mental health

- (8:30 − 10:00 am)
 Salon mendelssohn
 Chair: Georg Schomerus (Germany)
 Co-Chair: nicolas Rüsch (Switzerland)
 - > Guilt and family stigma in the context of Alzheimer's disease: A mixed methods study (ID 60)

 Perla Werner (Israel)
 - > Association between public views of mental illness and self-stigma among individuals with mental illness in 14 european countries (ID 75)

 Sara Evans-Lacko (UK)
 - > Perceived discrimination, stigma stress and self-concept as 'mentally ill' among young people at high risk for psychosis (ID 59)

 Nicolas Rüsch (Switzerland)
 - > treatment recommendations for mental illness: the paradox of mental health literacy (ID 111)

 Elise Pattyn (Belgium)
 - > Belief in a symptom continuum and the stigma of mental illness. Results from a representative population study (ID 58)

 Georg Schomerus (Germany)
 - > Counteracting internalized stigma: efficacy of day clinic treatment for people with schizophrenia (ID 10)
 Ingrid Sibitz (Austria)

Symposium XXIV: mental health and old age

- > objective and subjective assessment of sleep in a middle- and old-aged population: Preliminary results from the Leipzig Research Center for Civilization Diseases (LIFe) (ID 366)

 Christian Sander (Germany)
- > Prevalence on admission and incidence during the course of hospital stay: Delirium in the elderly in a German general hospital estimation using random survey sampling (ID 355)

 Stefan Kreisel (Germany)
- > Prevalence of minor depression in elderly persons with and without mild cognitive impairment (ID 195)

 Peter Schoenknecht (Germany)
- > Dementia care manager: Striking a new path in ambulant dementia care with DelpHi-mV, a GP-based randomised controlled intervention trial (ID 283)

 Jochen René Thyrian (Germany)
- > the assessment of changes in cognitive functioning: Age-, education-, and gender-specific reliable change indices (RCIs) for older adults tested on the mmSe, SIDAm and CeRAD-nP battery. Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (Age-CoDe) (ID 38)
 Janine Stein (Germany)
- > Age-dependant variations of generalized anxiety disorder (GAD): A study of 70-75-79-85 year-olds from Gothenburg, Sweden (ID 449) Johann Nilsson (Sweden)

⊕ Coffee Break

Plenary IV: new and traditional approaches to psychiatric epidemiology

(10:30 am − 12:00 pm) Ballsaal
Chair: Anthony mann (UK)

- > A new generation of psychiatric case register Rob Stewart (UK)
- > Improving mental health outcomes at a population level: A global emental health service Kathleen Griffiths (Australia)

- > emotional and behavioral problems across adolescence: Comparing prospective cohort data and retrospective CIDI-DSm-IV diagnoses. the tRAILS study

 Johan Ormel (Netherlands)
- > Changing trends in the prevalence of common mental disorders in taiwan: A 20-year repeated cross-sectional survey Andrew Chena (Taiwan)









(9) Lunch Break

Poster Session II

Symposium XXV: Prospective studies of the natural history of adolescent mental disorders

(2:00 – 3:30 pm) • Ballsaal Chair: Jim Anthony (USA)

Co-Chair: Kai von Klitzing (Germany)

- Conduct problem trajectories and alcohol use and misuse in mid to late adolescence: ALSPAC (ID 417)
 Matt Hickmann (UK)
- > the natural history of binge drinking from adolescence to young adulthood (ID 413) Wendy Swift (Australia)
- Adolescent predictors of alcohol use disorders in young adults (ID 414) Wendy Swift (Australia)
- > Pathways from antenatal and postnatal depression to adolescent depression: Differential moderation by offspring gender (ID 317)

 Jonathan Evans (UK)
- > Pathways to adulthood and substance use: evidence from the national longitudinal study of adolescent health (ID 158)

 Michael Shanahan (USA)

> the longitudinal course of mental health of children and adolescents with and without mental illness pre and post the chilean earthquake and tsunami (ID 198)

Robert Kohn (USA)

Symposium XXVI: mood disorders and cardio-vascular disease (CVD): From associations to mechanisms

(2:00 −3:30 pm) Salon Goethe Chair: martin Preisig (Germany) Co-Chair: Christine Kühner (Germany)

- > Comorbidity and familial aggregation of mood disorders and comorbid vascular diseases in the national Institute of mental Health Family Study of Comorbidity Affective Spectrum Disorders (ID 392) Kathleen Merikangas (USA)
- > Depression and cardiovascular disease: Insights into the roles of underlying mechanisms and depression symptom profiles (ID 88)

 Brenda Penninx (Netherlands)
- > Depression, HPA axis functioning, and cardiovascular risk in a population-based sample: Results from the PsyCoLaus cohort study (ID 226)

 Christine Kühner (Germany)
- > Depression subtypes and the metabolic syndrome: the prospective association and the role of inflammatory processes (ID 291)

 Martin Preisig (Switzerland)
- > Antidepressants, autonomic function, and mortality in patients with coronary heart disease: Data from the Heart & Soul Study (ID 275)

 Christian Otte (Germany)
- > Suicidal ideation and suicidal risk in patients with coronary heart disease (ID 295)

 Katia Beer (Germany)

Symposium XXVII: Cultural aspects and mental disorders

(2:00 – 3:30 pm) Salon Bach Chair: Iris Graef-Calliess (Germany) Co-Chair: Rob Stewart (UK)

- > mental health disparities between Roma and non-Roma children in Romania (ID 367)

 Emmanuelle Leray (France)
- > Racial disparity in risk factors for substantiation of child maltreatment (ID 74)
 Tyrone Cheng (USA)

- > Assessment of mental health and physical wellbeing of 'left behind' family members of international labour migrants: A national comparative study in Sri Lanka (ID 62)

 Chesmal Siriwardhana (UK)
- > the importance of culturally informed diagnosis of schizophrenia among immigrants (ID 320)

 Tekleh Zandi (Netherlands)
- > emotional distress in people with turkish descent: Results from two population based studies in Berlin (ID 422)

 Marion Aichberger (Germany)

Symposium XXVIII: Psychiatric health across generations and across the lifespan: Implications for prevention

(2:00 - 3:30 pm) •Salon Schiller Chair: Katherine Keyes (USA)

- > Has the population prevalence of sensation seeking personality traits and their relation to substance use changed over time? Implications for neurobiological theories of developmental psychology (ID 142)

 Katherine Keyes (USA)
- > Smoking among recent birth-cohorts increasingly associated with both Axis I & II psychopathology (ID 115) Katherine Keyes (USA)
- > Illegal substance use across the life course: A comparison of veterans and nonveterans (ID 166)

 Richard Miech (USA)
- > the impact of sex and birth cohort on the transition from alcohol use to DSm-IV alcohol use disorders? Results of the 2007 Australian national Survey of mental and Wellbeing (ID 267) Tim Slade (Australia)
- > Age and cohort effects on the distribution of psychological distress in Canadian adults (ID 312) Aline Drapeau (Canada)
- > Flourishing across the lifespan: Does the absence of mental health really reflect psychological health? (ID 183)

 Richard Burns (Australia)

Symposium XXIX: Psychosis and schizophrenia

(2:00 – 3:30 pm) Salon mendelssohn Chair: mirella Ruggeri

Co-Chair: James Kirkbride (UK)

- > Different risk factors for different psychosis syndromes (ID 229)

 Vladeta Ajdacic-Gross (Switzerland)
- > A population-level prediction tool for the incidence of first episode psychosis: Development and validation (ID 8)

 James Kirkbride (UK)
- > Are there evidences that social adversity over the life course increase risk of psychosis? (ID 165)

 Simona A. Stilo (UK)
- > the use of latent class analysis to assist in subtyping schizophrenia and to investigate relationships with covariates in the Xhosa population (ID 140) Esme Jordaan (South Africa)
- > Indicated prevention in people at-risk of psychosis: What is the evidence? (ID 190)

Andreas Bechdolf (Germany)

> Association between symptoms of psychosis and work and non-work stressors the 2007 Adult Psychiatric morbidity Survey (ID 191) Andrew Cummings (UK)

Symposium XXX: old age population based studies

(2:00 – 3:30 pm) • Blauer Salon

Chair: Ingmar Skoog (Sweden)

Co-Chair: Siegfried Weyerer (Germany)

- > Secular trends in functional ability, quality of life, and depression among Swedish 75-year-olds: A comparative study of two birth cohorts born 30 years apart. (ID 444)

 Hanna Falk (Sweden)
- > Functional disability and death wishes in elderly europeans: Results from the eURoDeP Consortium (ID 443)

 Madeleine Mellqvist Fässberg (Sweden)
- > Role of loss in the development of depressive symptoms and major depression (ID 206) Claudia Sikorski (Germany)

- > Social phobia in non-demented 75- and 85-year olds: Associated factors (ID 282)
 - Biörn Karlsson (Sweden)
- > Psychotic symptoms and paranoid ideation in non-demented 85-years old: A birth cohort comparison (ID 445)

 Svante Östling (Sweden)
- > enriched environment at work and the incidence of dementia: Results of the Leipzig Longitudinal Study of the Aged (LeILA 75+) (ID 156)

 Francisca S. Then (Germany)
- Coffee Break

Symposium XXXI: Childhood mental health

- > maternal and early postnatal nutrition associated with the mental health of children (ID 11)

 Felice Jacka (Australia)
- > A prospective study of child mental health problems in a large preschool sample (ID 338)

 Annette M. Klein (Germany)
- > Prenatal exposure to alcohol and neurobehavioural development at age seven: A large-scale cohort study (ID 29)

 Janni Niclasen (Denmark)
- > Risk factors of disagreement between parents' and children's reports on child mental health disorders (ID 159)

 Emma Bajeux (France)
- > Unmet need in mental health care among Brazilian children (ID 387)

 Daniel Fatori (Brazil)
- > Who and how comes in contact with the child and adolescent mental health services in Italy? (ID 42)

 Giovanni de Girolamo (Italy)

Symposium XXXII: mental and physical health with a special focus on depression and coronary heart disease

- > UPBeAt-UK, a 5 year programme of research to improve the management in primary care for people with coronary heart disease and depression (ID 246)

 Andre Tylee (UK)
- > Depression in primary care patients with coronary heart disease: the UP-BeAt UK Study (ID 249) Paul Walters (UK)
- > An investigation of psychosocial associations of continuing chest pain in primary care population with coronary heart disease (CHD) (ID 240)

 Anthony Mann (UK)
- > UPBeAt-UK practice nurse-led personalised care for CHD and depression: Pilot RCt to test feasibility and acceptability over 1 year (ID 261)

 Elizabeth Barley (UK)
- > the role of physical health in explaining associations between mental health and wellbeing with mortality (ID 182)

 Richard Burns (Australia)

Symposium XXXIII: Work III and mental health

(4:00 – 5:30 pm) Salon Bach Chair: Arnstein mykletun (norway) Co-Chair: Andreas Seidler (Germany)

- > Long-term sickness absence for psychiatric disorder and cause-specific mortality (ID 16)

 Anna Bryngelson (Sweden)
- > Health conditions of Polish population in working age and its influence on health policy: Analysis of ezoP results and statistical data (ID 432)

 Patryk Piotrowski (Poland)
- > Community, family and work: Social participation and social connections to promote mental health and wellbeing (ID 136)

 Lean OBrien (Australia)
- > A population-based longitudinal study on work environment and major depressive disorder (ID 84) JianLi Wang (Canada)

7 JUne

- > Psychological distress, absenteeism and presenteeism in an Australian sample of small business managers (ID 279)

 Fiona Cocker (Australia)
- > Differential diagnostic of workplace-related anxieties and work-participation impairment in psychosomatic rehabilitation patients (ID 79)

 Beate Muschalla (Germany)

Symposium XXXIV: new data on the epidemiology of autism spectrum disorders

> Prevalence rates of autism spectrum disorder vary by administrative region in ontario, Canada (ID 361)

Peter Szatmari (Canada)

- > Difference in impaired sustained attention, focused attention, and vigilance between autistic disorder and Asperger's disorder (ID 300)

 Susan Shur-Fen Gau (Taiwan)
- > Risk factors and clinical correlates of CnVs associated with Autism spectrum disorders and schizophrenia: evidence for joint contribution of genetic and environmental risk factors (ID 350)
 Alison Merikangas (Ireland)
- > Screening adults for social and communication disorders, including autism spectrum disorders (ID 56)

 Freya Tyrer (UK)

Symposium XXXV: obesity and eating disorders

(a) (4:00 - 5:30 pm)

Chair: Kai von Klitzing (Germany)

Co-Chair: Hubertus Himmerich (Germany)

- > Prospective association between depression subtypes and BmI, waist circumference and body fat change in the community (ID 96)
 Aurelie Lasserre (Switzerland)
- > Prevalence and treatment of eating disorders in Switzerland (ID 169)

 Meichun Mohler-Kuo (Switzerland)
- > mortality in eating disorders: A case-control study of adult eating disorder patients treated in tertiary-care, 1995-2010 (ID 314)

 Jari Haukka (Finland)

> obesity and associated lifestyle in a large sample of multi-morbid German primary care attendees (ID 207)

Claudia Sikorski (Germany)

Symposium XXXVI: methods II

(4:00 - 5:30 pm)

Chair: Christian meyer (Germany)

Co-Chair: Herbert matschinger (Germany)

> Validity of the short mood and feelings questionnaire in young adults (ID 257)

Nicholas Turner (UK)

- > the reliability of the Standard for Clinicians' Interview in Psychiatry (SCIP): A comparison of inter-rater reliability between USA and egypt (ID 83) Ahmed Aboraya (USA)
- > LeGASCReen A multimodal test for early indicators of dyslexia (ID 369) Arndt Wilcke (Germany)
- > Comparative accuracy of German language depression screening instruments (ID 294)

 Nina Rieckmann (Germany)
- > Improving response rates during a survey: Intervention or practice effects? (ID 328)

 Angus Thompson (Canada)
- > Relevance of the sampling frame for telephone surveys in the field of psychiatric epidemiology: evidence from a national prevalence study on pathological gambling (ID 372) Christian Meyer (Germany)

Congress Dinner

(6:30 pm) • Gondwanaland, Leipzig zoo

SAtURDAY, 8 JUne 2013



time	Ballsaal	Salon Goethe	Salon Bach	Salon Schiller	Salon mendelssohn	Blauer Salon	Salonkombination
8:30 am - 10:00 am	Symposium XXXVII: new technologies in prevention and treatment	Symposium XXXVIII: Clinical decision making in the routine care of people with severe mental illness across europe: A prospective study	Symposium XXXIX: mental health in fami- lies and at the primary care level	Symposium XL: Quality assurance in mental health care	Symposium XLI: Affective disorders	Symposium XLII: mental and physical health	Poster exhibition
10:00 am	Coffee Break						
10:30 - 11:45 am	Plenary Session V: Applications of psych- iatric epidemiology: Policy, prevention and the workplace						
11:45 am	Refreshment Break						
12:00 - 1:30 pm	Plenary Session VI: Hot topic: Autism spect- rum disorders meeting summary, pos- ter prizes and farewell						
1:30 pm	Lunch Snack						



Symposium XXXVII: new technologies in prevention and treatment

(4) (8:30 - 10:00 am) Ballsaal Chair: Kathleen Griffith (Australia) Co-Chair: michael Lucht (Germany)

- > medication reminder apps using Android and Apple technologies (ID 157) Stephanie Sampson (UK)
- > A telemedical healthcare concept for patients after treatment in a psychiatric day hospital (ID 171) Neeltje van den Berg (Germany)
- > An online intervention for reducing depressive symptoms: Secondary benefits for self-esteem, empowerment and perceived quality of life (ID 162) Dimity Crisp (Australia)
- > Continuous monitoring of detoxified patients with alcohol dependence with mobile phone short message service (SmS) (ID 54) Michael Lucht (Germany)
- > Internet-based prevention and early intervention in eating disorders: Reaching an underserved population? (ID 393) Stephanie Bauer (Germany)
- > mental health promotion and prevention of mental illness initiatives across europe Union member States; evidence and practice based examples (ID 436) Chiara Samele (UK)

Symposium XXXVIII: Clinical decision making in the routine care of people with severe mental illness across europe: A prospective study

(8:30 − 10:00 am) Salon Goethe Chair: Johannes Wancata Co-Chair: terry Brugha (UK)

- > Shared decision making in the treatment of people with chronic mental illness: Qualitative study with focus groups (ID 354) Sabine Loos (Germany)
- > A five-language multiperspective instrument to assess clinical decision making in the routine care of people with severe mental illness (CDRC) (ID 357) Jana Konrad (Germany)
- > the relation between clinical decision making and service use in people with severe mental illness across europe (ID 360) Nadja Zentner (Germany)

> the effect of clinical decision making on outcome over one year in people with severe mental illness across europe (ID 352) Bernd Puschner (Germany)

Symposium XXXIX: mental health in families and at the primary care level (4) (8:30 - 10:00 am) Salon Bach

Chair: John Copeland (UK)

Co-Chair: Andrew Cheng (taiwan)

> Family functioning, social support, mental health and use of health services: Preliminary findings from a longitudinal study of rural families (ID 324)

Peter Butterworth (Australia)

- > A mental health picture of general practitioners' clientele: Results of the dialogue project (ID 122) Louise Fournier (Canada)
- > Utilization of first professional help by patients with obsessive-compulsive disorder (oCD): Impact of age of onset (ID 332) Katarina Stengler (Germany)
- > Attitudes of the German general population toward early diagnosis of dementia: Results of a representative telephone survey (ID 20) Tobias Luck (Germany)

Symposium XL: Quality assurance in mental health care

(8:30 – 10:00 am) Salon Schiller Chair: Anke Bramesfeld (Germany)

Co-Chair: matthias Schützwohl (Germany)

- > Quality of care for severe mental illness in Lombardy (Italy) (ID 243) Antonio Lora (Italy)
- > Cross-sectoral quality assurance in mental health care in Germany: A countrywide approach using routine data (ID 259) Anke Bramesfeld (Germany)
- > Development and application of the Quality Indicator for Rehabilitative Care; a pan-european quality assessment tool for longer term mental health care facilities (ID 81) Helen Killaspy (UK)
- > International comparative indicators on the quality of mental health care: 2013 indicators of the organization of economic Cooperation and Development (oeCD) (ID 349) Niek Klazinga (France)

JUne

- > Quality of mental health care across 9 european countries; the experience of the eU ReFInement project (ID 365) Valeria Donisi (Italy)
- > equality in health services for patients suffering from severe psychiatric illness (ID 260) Gilad Gal (Israel)

Symposium XLI: Affective disorders

(4) (8:30 - 10:00 am) Salon mendelssohn

Chair: martin Preisig (Germany)

Co-Chair: melanie Luppa (Germany)

- > Psychosocial risk factors for psychotic major depression (ID 273) Maraaret Heslin (UK)
- > the recurrence of major depression is strongly dependent on the number of previous episodes (ID 278) Andrew Bulloch (Canada)
- > movement as medicine: the relationship between physical activity and psychotropic drug use among the depressed in the Canadian Community Health Survey Cycle 1.2 (ID 327) Marc-André Bélair (Canada)
- > Variations in the prevalence of severe depressive symptoms between neighborhoods are explained by individual characteristics: the Dortmunder Health Study (DHS) (ID 254) Laura Khil (Germany)
- > Abuse against women, depression, and infant morbidity: A primary care cohort study in Brazil (ID 71) Patricia Manzolli (Brazil)
- > neurobiological measurements in an epidemiological survey: Inhibitory deficits are related to psychopathological symptoms in a stratified population sample (ID 290) Wolfram Kawohl (Switzerland)

Symposium XLII: mental and physical health

(4) (8:30 - 10:00 am) Blauer Salon Chair: Giovanni de Girolamo (Italy) Co-Chair: Susanne Singer (Germany)

- > epidemiology of perceived stress, anxiety, depression, related symptoms and psychosocial impairments in patients with chronic diseases: A German survey in patients with inflammatory bowel diseases (IBD) (ID 209) Juliane Hardt (Germany)
- > obesity and disturbances in mood (ID 135) Julie Pasco (Australia)
- > Determinants of depression in multiple sclerosis (ID 301) Sandy Berzins (Canada)
- > Co-morbid mental health conditions in cancer patients are frequently untreated: A prospective study (ID 9) Susanne Singer (Germany)
- > effects of depression on functioning in people with type 2 diabetes: A prospective community study (ID 148) Norbert Schmitz (Canada)

⊕ Coffee Break

Plenary Session V: Applications of psychiatric epidemiology: Policy, prevention and the workplace

(10:30 – 11:45 am) • Ballsaal Chair: Johannes Wancata (Austria)

- > Universal prevention of sick leave and permanent disability in patients with common mental disorder Arnstein Mykletun (Norway)
- > Preventing mental illnesses: Using epidemiological tools to provide an evidence-based based approach for population intervention to reduce the prevalence of depression Carl D'Arcy (Canada)
- > transferring epidemiology to mental Health Policies Viviane Kovess Masfety (France)









(a) Refreshment Break

Plenary Session VI: Hottopic: Autism spectrum disorders meeting summary, poster prize and farewell

- (12:00 − 1:30 pm) ⊕ Ballsaal Chair: Kathleen merikangas (USA)
 - > Why should autism be of importance to psychiatrists and epidemiologists?

 Terry Brugha (UK)
 - > meeting wrap-up
 Kathleen Merikangas (USA)
 - > Poster prizes
 Norman Sartorius (Switzerland)
 - > Farewell Steffi Riedel-Heller (Germany)








(Lunch Snack

PoSteR PLAn



PoSteR SeSSIon I



 \bigcirc (1:00 – 2:00 pm) thursday

Salonkombination

Poster Session I-01: mental health in childhood and adolescence Chair: Lilly Shanahan (USA)
Co-Chair: Annette Klein (Germany)

- > the influence of parental depression, family functioning, and social support on the self-concept of adolescents with chronic illness (ID 117)

 Mark Ferro (Canada)
- > Development and trajectories of depressive disorders between childhood and adulthood (ID 376)

 Sonia Jaeger (Germany)
- > emotional-behavioral outcomes and living status in adolescents born preterm with very low birth weight (ID 263)

 I-Hsuan Lin (Taiwan)
- > trajectories of anxious and depressive symptoms in Canadian children: Predictors of child- versus adolescent-onset (ID 118) Murray Weeks (Canada)

Poster Session I-02: Health service research and health economics I Chair: Hans-Joachim Salize (Germany)
Co-Chair: thomas Becker (Germany)

- > Internet counseling services in adolescent: A national study of taiwan, 2007-2010 (ID 40)

 Hsuan Chi (Taiwan)
- > Unmet needs for mental health care primary care in Quebec: Correlates with evolution of the mental health status, reasons and organisational factors (ID 123)

 Louise Fournier (Canada)
- > early recognition centers for mental disorders: A reasonable and needful complementary supply in the German health system (ID 160)

 Karolina Leopold (Germany)
- > Clinical registry for patients with bipolar disorders hospitalized in the catchment area of the city of Dresden (ID 210)

 Anne Ruehlmann (Germany)
- > Self-reported utilization of diabetes healthcare in a Quebec community based sample: Impact of major depression (ID 172) Kimberley Smith (Canada)

> treatment contact and help-seeking for mental disorders in a multi-ethnic Asian community (ID 53)

Janhavi Ajit Vaingankar (Singapore)

Poster Session I-03: mental health of students Chair: Heide Glaesmer (Germany) Co-Chair: Ines Conrad (Germany)

- > Depression, anxiety and stress among medical students (ID 7) Nazan Bilgel (Turkey)
- > Sense of coherence among religious and non-religious students from Germany and Poland (ID 345)

 Margareta Schonder (Germany)
- > Prevalence and age-of-onset distributions of DSm IV major depressive disorder and its severity among students of nine public universities in Wroclaw, Poland: WmH-CIDI findings (ID 51)

 Marta Zagdańska (Poland)
- > exam stress among nursery and midwifery students in a Prishtina University, Kosovo (ID 373)
 Valbona Zhjeai (Albania)

Poster Session I-04: Suicide I Chair: Ian Colman (Canada) Co-Chair: Beate Schulze (Germany)

> Suicide attempts of women of turkish descent in emergency units in Berlin (ID 167)

Marion Aichberger (Germany)

- > obesity and rates of suicide in the oeCD: An ecological study (ID 181)

 William Lee (UK)
- > Suicide ideation and attempt among substance misusers: the second Brazilian national Alcohol and Drug Survey (ID 237)

 Patricia Manzolli (Brazil)
- > Internet search trends in epidemiological research. the association between the search of suicide-related terms via Google and suicide rates in Poland, Ukraine and Germany (ID 199)

 Lena Spangenbera (Germany)
- > Validation of suicide and self-harm records in the clinical practice research datalink (ID 65)

 Kyla Thomas (UK)



P

> epidemiology of self-poisoning in Bamako (ID 299) Hinde Hami (Morocco)

Poster Session I-05: Cognitive performance, cognitive development and dementia

Chair: Svante Östling (netherlands)

Co-Chair: Gerhard W. eschweiler (Germany)

> Prediction of incident dementia: Impact of impairment in instrumental activities of daily living and mild cognitive impairment — Results from the German study on ageing, cognition, and dementia in primary care patients (ID 21) Tobias Luck (Germany)

- > Predictors of institutionalisation in incident dementia Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe study) (ID 256)
 Melanie Luppa (Germany)
- Long-term prognosis of older people with dementia and milder forms of cognitive impairment: A 22- year follow-up (ID 296) Martina Schaeufele (Germany)
- Cognitive efficiency shaped by the psychosocial working environment? A systematic review (ID 103) Francisca S. Then (Germany)

Poster Session I-06: Depression and anxiety

Chair: Christine Kühner (Germany)
Co-Chair: margrit Löbner (Germany)

- > Variability of depressive symptoms in six european countries: Results from the eSemeD survey (ID 439)

 Sebastian Bernert (Germany)
- > outcomes 10 years after first episode of psychotic major depression and schizoaffective disorder, depressed type (ID 274)

 Margaret Heslin (UK)
- Sender differences in prevalence, severity and symptomatology of outpatients with anxiety disorders: the Leiden Routine outcome monitoring Study (ID 346) Luisa Pesce (Netherlands)
- > estimates of residual depressive symptoms in the Canadian population (ID 15)

 Reginald Ryan Reyes (Canada)

- > Change across ten year age bands in the level of internalizing psychopathology amongst the Australian general population (ID 451)

 Matthew Sunderland (Australia)
- > Why do neighbourhoods affect depression outcomes? A realist review of causal pathways (ID 175)
 Alexandra Blair (Canada)

Poster Session I-07: Alcohol use and abuse

Chair: Ulrich John (Germany)
Co-Chair: Wilson Compton (USA)

- > the externalising spectrum and ADHD: evaluating latent structure (ID 452)

 Natacha Carragher (Australia)
- > Delay to seek treatment for alcohol use disorders in the Australian population (ID 388)

 Catherine Chapman (Australia)
- > epidemiology of binge drinking in a representative sample of adolescents living in Germany (ID 101) Carolin Donath (Germany)
- Race, age, and problem drinking: A 14-year trend study of American adults (ID 225) Celia Lo (USA)
- > methodological considerations in epidemiological research: on how to classify women who drink, and do not drink, alcohol in pregnancy - experiences from a large-scale descriptive cohort study (ID 37) Janni Niclasen (Denmark)

Poster Session I-08: mental health and training of health care professionals Chair: Hanna Kaduszkiewicz (Germany)
Co-Chair: markus Busch (Germany)

- > Prevention of anxiety, depression and burnout during residency training: the experts', medical students' and young doctors' point of view (ID 302) Gertrude Hamader (Austria)
- > Prevention and intervention of anxiety, depression and burnout during medical studies the experts', medical students' and young doctors' point of view (ID 303)

 Gertrude Hamader (Austria)



> mental health problems among physicians in Germany - A systematic review (ID 252)

Michael Unrath (Germany)

> Incidents with violence against clients in treatment for psychosis using a routine outcome monitor to assess prevalence, context and professional awareness (ID 316)

Jooske van Busschbach (Netherlands)

Poster Session I-09: epidemiological methods and instruments

Chair: Rob Stewart (UK)

Co-Chair: Janine Stein (Germany)

> Validation of depression coding in administrative data and recommendations for case ascertainment (ID 124)

Kirsten Fiest (Canada)

> Development and validity and reliability study of the social well-being scale for turkey (ID 196)

Inci Ozaur Ilhan (Turkey)

> Development and validity and reliability study of the collective efficacy scale for turkey (ID 197)

Inci Ozgur Ilhan (Turkey)

> measuring data quality in epidemiological research (ID 139)

Birgitt Wiese (Germany)

Poster Session I-10: Focus on psychoeducation, support and relatives Chair: Wolfram Kawohl (Switzerland)
Co-Chair: Giovanni de Girolamo (Italy)

- > Psychoeducation for relatives of patients with depressive disorders: the situation in inpatient depression treatment in Germany (ID 144)

 Lars P. Hölzel (Germany)
- > mental health of mothers of school-age children with disabilities in four schools of different geographical areas in Brazil (ID 292)

 Patricia Manzolli (Brazil)
- > motor performance and emotional problems of children with hearing impairment (ID 453)

 Matthäus Fellinger (Austria)
- > needs and burden of caregiving relatives of patients with eating disorders (ID 454)

 Stefanie Süßenbacher (Austria)

> Wishes and worries of caregiving relatives concerning volunteers (ID 470)

Astrid Sonntag (Germany)

Poster Session I-11: Special topics I Chair: Christian Sander (Germany)

Co-Chair: Peter Schönknecht (Germany)

> Prevalence of sleep complaints and disorders in unselected psychosomatic inpatients (ID 28)

Michael Linden (Germany)

> Dynamic of sleep disorders (ID 262) Carolin Marx (Germany)

> Quantitative exposure of Antipsychotics in Relation to the Risk of neuroleptic malignant Syndrome (ID 147) Chin-Kuo Chana (UK)

> Health promoting workplaces and association with psychological distress (ID 126)

Kristy Sanderson (Australia)

Poster Session I-12: topical mental health issues Chair: Holly erskine (Australia) Co-Chair: Jorge Cervilla (UK)

- Stalking and health An Austrian prevalence study (ID 270) Wolfagna Freidl (Austria)
- > neighbourhood characteristics and mental health in people with a chronic condition (ID 119)

 Genevieve Gariepy (Canada)
- > Racial differences in mental health problems among American adults: A trend analysis (ID 5)

 Celia Lo (USA)
- > the stigma of obesity in the general public and its implications for public health (ID 205)

 Claudia Sikorski (Germany)
- Sickness absence and disability due to psychiatric disorders from a gender perspective - A systematic literature review (ID 333) Katarina Stengler (Germany)
- > Pathways into care among victims of human trafficking in contact with a large inner city mental Health Service (ID 337)

 Sian Oram (UK)



PoSteR SeSSIon II

(1:00 – 2:00 pm) Friday

Salonkombination

Poster Session II-01: mental disorders in old age

Chair: Ingmar Skoog (Sweden)
Co-Chair: Klaus Berger (Germany)

- > Incidence of late-life depression: A systematic review (ID 121)

 Dorothea Büchtemann (Germany)
- > natural course of depressive symptoms in late life: An 8-year populationbased prospective study (ID 18) Melanie Luppa (Germany)
- Social relations and depression in late life: A systematic review (ID 212) Michaela Schwarzbach (Germany)
- Assessing depression using the PHQ-9 in a sample of the elderly German population the impact of multimorbidity on the prevalence of depressive syndromes and depression severity (ID 106)
 Lena Spangenberg (Germany)

Poster Session II-02: Health service research and health economics II Chair: mirella Ruggeri (Italy)

Co-Chair: Hans Joachim Salize (Germany)

- > the zIneP epidemiology survey: Design and preliminary results (ID 230) Vladeta Ajdacic-Gross (Switzerland)
- > territorial distribution of the use of inpatient mental health services in Spain (ID 351)

 Marco Garrido-Cumbrera (Spain)
- > Health service utilization and costs of depressive symptoms in late life A systematic review (ID 285)

 Melanie Luppa (Germany)
- > Direct costs associated with depressive symptoms in late life A 4.5-year prospective study (ID 286) Melanie Luppa (Germany)
- > Community psychiatry in Leipzig new performance data (ID 409)

 Thomas Seyde (Germany)

Poster Session II-03: Suicide II

Chair: Robert Young (UK)

Co-Chair: Caroline Peterhänsel (Germany)

> Beyond regular weekly cycles in suicide (ID 313) Vladeta Ajdacic-Gross (Switzerland)

- > Suicide in penal institutions in Jamaica 2001 to 2010 (ID 394)

 Lorgine Barnaby (Jamaica)
- > Risks for suicidal behavior based on a study of young Austrian adults (ID 251)

 Claudia Bukowsky (Austria)
- > Associations between music preferences and suicidality among young adults (ID 245)

 Benedikt Till (Austria)

Poster Session II-04: Schizophrenia

Chair: James Kirkbride (UK)

Co-Chair: Andreas Bechdolf (Germany)

- > Admission based prevalence of schizophrenia, schizoaffective disorder and bipolar I disorder in a catchment area in Sinop, turkey (ID 318) Tolga Binbay (Turkey)
- > Risk factors for burden among caregiving relatives of schizophrenia patients (ID 233)

 Fabian Friedrich (Austria)
- > the quality of life and life satisfaction of patients suffering from schizophrenia (ID 244)

 Drita Gashi Bytyci (Albania)
- > Associations between symptoms, functional status and all-cause mortality in people with schizophrenia (ID 235)

 Richard Haves (UK)
- > Antipsychotics use in the elderly with schizophrenia—3-year database from a psychiatric hospital (ID 305)

 Mei-Feng Huang (Taiwan)
- > Intermittent drug techniques for schizophrenia: A Cochrane Review (ID 164)

 Stephanie Sampson (UK)

Poster Session II-05: mental health and work

Chair: Stephen Stansfeld (UK)

Co-Chair: Andreas Seidler (Germany)

- > Influence of change in unemployment on emergency department use for mental health conditions in South Australia (SA) (ID 129) Tarun Bastiampillai (Australia)
- > the effect of receiving workplace mental health accommodations on the outcome of mental disorders (ID 281)

 Carmelle Bolo (Canada)



> Work-related coping and intention for return-to-work as outcome for a group therapy on work-related anxieties (ID 242)

Beate Muschalla (Germany)

Poster Session II-06: Risk factors and correlates of mental disorders Chair: Rob Stewart (UK)
Co-Chair: martin Preisig (Switzerland)

> Age at menarche: A risk factor or a protective factor for mental disorders? (ID 227)
Vladeta Aidacic-Gross (Switzerland)

- > mental disorders: Prevalence, risk factors and ethnic variations in Singapore Results from the Singapore mental Health Study (ID 133)

 Siow Ann Chong (Singapore)
- > Parental age and the risk of bipolar disorders (ID 297)

 Roshan Chudal (Finland)
- > A novel "white-box" epidemiology approach to understand psychiatric disease: Does perinatal light determine susceptibility to mood disorders? (ID 339)

Thomas Erren (Germany)

> Pain symptoms as predictors of mental disorder in general hospital patients (ID 359)

Marion Freidl (Austria)

- > Risk factors for current anxiety disorders comorbidities among thai patients with bipolar disorder (ID 82)

 Suchat Paholpak (Thailand)
- > Symptom-based subtypes of depression and their psychosocial correlates: A person-centered approach separated by sex (ID 311) Stephanie Rodgers (Switzerland)

Poster Session II-07: Smoking, drugs and gambling Chair: Jim Anthony (USA)
Co-Chair: tanya Davidson (Australia)

- > the "Pathological Gambling and epidemiology" (PAGe) project: Design and fieldwork (ID 374) Christian Meyer (Germany)
- > Comparing the results of two evidence-based smoking cessation trials designed through a participatory approach (ID 379)

 Payam Sheikhattari (USA)

> objectively assessed neighborhood disadvantage and risk of drug misuse in the Detroit neighborhood Health Study (ID 176)

Monica Uddin (USA)

 $Poster Session\,II-08: Violence, abuse and traumata$

Chair: Heide Glaesmer (Germany)
Co-Chair: Robert Pietrzak (USA)

- > mental effects and factors which general population has held for 30 weeks since the great east Japan earthquake (ID 276)

 Takeshi Katsuki (Japan)
- > mental health status of atomic-bomb survivors in Korea. A survey in 2008 (ID 335)

Hirohisa Kinoshita (Japan)

- > Abuse in early life and depression and anxiety in adulthood (ID 407)
 Jutta Lindert (Germany)
- > Abuse in early life and domestic violence in adulthood (ID 408) Jutta Lindert (Germany)
- > Interpersonal psychotherapy for treating post traumatic psychological disturbances in adolescents after natural disaster Randomized control trial (ID 4)

Tze-Chun Tang (Taiwan)

 Characteristics of violent patients in a psychiatric emergency department in taiwan (ID 363)
 Tsu-Hui Yang (Taiwan)

Poster Session II-09: Prevention, treatment and rehabilitation Chair: michael Linden (Germany) Co-Chair: Susanne Singer (Germany)

- > evaluation of an intervention programme in patients at high risk of compulsory admission to psychiatric hospitals: Patient characteristics of study participants and dropouts at 1 year follow-up (ID 201)

 Barbara Lay (Switzerland)
- > the projected effect of increasing physical activity on reducing the prevalence of common mental disorders among Canadian men and women:
 A national population-based community study (ID 236)
 Xiangfei Meng (Canada)



- > medical rehabilitation by general practitioners in patients with chronic mental disorders (ID 174)

 Beate Muschalla (Germany)
- > Selective serotonin reuptake inhibitor (SSRI) use and bone health in men (ID 73)

Julie Pasco (Australia)

> Strategies for early recognition and intervention in young people at risk for the development of psychiatric disorders (ID 192)

Andrea Pfennia (Germany)

Poster Session II-10: needs, well-being and quality of life research Chair: Andrew Cheng (taiwan)
Co-Chair: Janine Stein (Germany)

- > the WHoQoL-oLD measurement characteristics in the German population 60+ depending on the cognitive status (ID 284)

 Ines Conrad (Germany)
- > Belonging to a peer support group enhance the quality of life and adherence rate in patients affected by breast cancer: A non-randomized controlled clinical trial (ID 204)

 Ziba Farajzadegan (Iran)
- > Life satisfaction and bone mineral density in postmenopausal women A cross-sectional study (ID 344) Risto Honkanen (Finland)
- > Spiritual needs of patients of four psychiatric residential facilities (RFs) belonging to the St John of God order in northern Italy (ID 108)

 Mariangela Lanfredi (Italy)
- > Associations between the mental health of parents and the health-related quality of life of children (ID 224) Meichun Mohler-Kuo (Switzerland)

Poster Session II-11: Special topics Chair: Raimundo mateos (Spain) Co-Chair: tobias Luck (Germany)

> epidemiology of selected treated mental disorders in the Slovak Republic (ID 435)

Alexandra Bražinová (Slovakia)

> Current situation of patients with fragile X syndrome: Aims and methods of the eXPLAIn Registry (ID 304)

Michael Colla (Germany)

- > mental disorder in the primary care in nagasaki (ID 250)

 Hideyuki Nakane (Japan)
- > At-risk symptoms of psychosis and help-seeking behaviour in the general population (ID 44)

 Frauke Schultze-Lutter (Switzerland)
- > mental health status and needs for care in adults with intellectual disabilities the mementA-Study (ID 287)

 Matthias Schützwohl (Germany)
- > Prevalence and correlates of hoarding in individuals with obsessive compulsive disorder (ID 33)

 Mythilv Subramaniam (Singapore)
- > Age of onset of mental disorders and organization of mental health services: Is there a correlation? (ID 39)

 Giovanni de Girolamo (Italy)
- > the functioning of child and adolescent mental health services and the issue of the treatment gap: Results from the PRemIA study (ID 41)

 Giovanni de Girolamo (Italy)

Poster Session II-12: Psychiatric and somatic comorbidities Chair: Brenda Penninx (netherlands) Co-Chair: margrit Löbner (Germany)

- > Anxiety prevalence in the macao people age 18+ and its relationship with other diseases (ID 238)

 Ken Gu (Macau)
- > Depression prevalence in the macao females age 18+ and its comorbid status with other diseases (ID 247)

 Qianhong Ye (Macau)
- > Life-time psychiatric disorders over half a century in patients with obsessive compulsive disorder (ID 447)
 Isak Fredén Klenfeldt (Sweden)
- > Anxiety disorders and anxious symptoms in Canadian adults with type 2 diabetes: Cross-sectional associations with diabetes self-management and quality of diabetes care (ID 437) Kiyuri Naicker (Canada)
- Comorbidity and temporal ordering of anxiety, mood and substance use disorders in the Australian general population: Which comes first and what does this tell us? (ID 269) Tim Slade (Australia)

noteS

